

# 225FR TAPE

FLAME RETARDANT CLOTH TAPE



## PRODUCT

## PART NUMBER

2"X180' Tape .....	225FR
3"X180' Tape .....	225FR

## APPLICATIONS

Used in areas where flame retardancy is required. For sealing duct work, fiberglass insulation and wire harness insulation and bundling applications.

## PRODUCT DESCRIPTION

A superior flame retardant polyethylene coated waterproof cloth tape with an exceptionally aggressive adhesive to a variety of substrates including steel and plastic.

- Flame retardant polyethylene coated waterproof cloth tape
- Exceptionally aggressive adhesive to a variety of substrates
- Exhibits outstanding handling characteristics and conforms well to duct systems
- Conforms to FAA specification FAR 25.853(a), McDonnell-Douglas spec DMS 1986D, Lockheed spec LCP-86-1226-A, and Boeing spec D 6-8099

## SIZE & PACKAGING

- 2"X180' & 3"X180' rolls available
- Comes in white

**225FR TAPE**  
FLAME RETARDANT CLOTH TAPE

PROPERTIES	TEST	IMPERIAL VALUES	METRIC VALUES
60 second vertical burn dip	FAR 25.853(a)	No Drip	N/A
60 second vertical burn length	FAR 25.853(a)	5 in	12.7 cm
60 second vertical burn time	FAR 25.853 (a)	0.5 sec	N/a
Adhesion to Backing	PSTC-1	41 oz/in	45.9 g/mm
Adhesion to Steel	PSTC-1	66 oz/in	72 g/mm
Tack	ASTM D1000	2.5 in	6.35 cm
Tensile	ASTM D1000	26 lb/in	0.46 kg/mm
Thickness	ASTM D1000	12 mils	0.3mm
Weight	ASTM D1000	10.5 oz/sq yd	356 g/m <sup>2</sup>

The information provided herein is based upon data believed to be reliable. All testing is performed in accordance with ASTM standards and procedures. All values are typical and nominal and do not represent either minimum or maximum performance of the product. Although the information is accurate to the best of our knowledge and belief, no representation of warranty or guarantee is made as to the suitability or completeness of such information. Likewise, no representation of warranty or guarantee, express or implied, or merchantability, fitness or otherwise, is made as to product application for a particular use.



Scan for our mobile app

