

AMERICAN-MADE PLASTIC SHEETING

BABA COMPLIANT SOLUTIONS FOR THE CONSTRUCTION INDUSTRY

Why Source with Americover?

Americover, Inc. proudly offers plastic sheeting products that comply with the Build America, Buy America Act (BABA), as outlined in the Infrastructure Investment and Jobs Act (IIJA). All manufacturing processes—including extrusion, conversion, and packaging—occur entirely within the United States, with over 55% of the total component costs sourced domestically. Our products meet the federal requirements for domestic end products under 2 CFR Part 184 and related OMB quidance, supporting infrastructure projects that require BABA compliance.

Trusted Expertise Since 1993

 Over 30 years of proven reliability serving contractors, distributors, and federal projects nationwide.

Stocked Inventory, Ready to Ship

▶ Popular BABA-compliant products available when you need them—no long lead times

Dedicated, Experienced Team

► Personalized service focused on delivering the right solutions with the best customer experience.

One Supplier, Endless Solutions

 Access a wide range of specialty plastic sheeting products from a single, dependable source.



UV Resistant Multi-Seasonal



American-Made Quality



Reinforced
Plastic Sheeting



Moisture/Gas Retarders



Heavy Duty Pond Liners




Specialty Tapes





STRING REINFORCED POLY



String reinforced plastic sheeting offers exceptional strength, flexibility, and tear resistance, making it a versatile, cost-effective solution for a wide range of BABA-compliant projects. Ideal for FEMA disaster recovery efforts and large-scale infrastructure applications, it provides reliable performance while helping contractors meet federal requirements without exceeding budgets.


All stocked widths are available in 100 ft lengths. Custom lengths are available.

| COLOR FEATURE | THICKNESS | STANDARD WIDTHS | | | | | | | | |
|-----------------|-----------|-----------------|-----|-----|-----|-----|-----|-----|-----|--|
| WHITE FIRE | 6 MIL | 4′ | 6′ | 8′ | 12′ | 16′ | 20′ | | | |
| RETARDANT | 8 MIL | 4′ | 8′ | 12′ | 16′ | 20′ | | | | |
| | 10 MIL | 6.75′ | 20′ | | | | | | | |
| CLEAR | 6 MIL | 6′ | 8′ | 10′ | 12′ | 16′ | 20′ | 40′ | 60′ | |
| | 10 MIL | 6′ | 20′ | | | | | | | |
| BLACK/WHITE | 6 MIL | 6′ | 24′ | | | | | | | |
| | 8 MIL | 6′ | 12′ | 24′ | | | | | | |
| | 12 MIL | 6′ | 12′ | 24′ | | | | | | |
| WHITE | 6 MIL | 4′ | 6′ | 8′ | 12′ | 16′ | 20′ | | | |
| | 20 MIL | 6′ | 12′ | 18′ | | | | | | |
| BLACK | 6 MIL | 6′ | 24′ | | | | | | | |
| | 8 MIL | 6′ | 12′ | 24′ | | | | | | |
| | 12 MIL | 6′ | 20′ | 24′ | | | | | | |

STRING REINFORCED PLASTIC SHEETING IS IDEAL FOR A SIDE RANGE OF APPLICATIONS:

- ► Building & construction enclosures
- Vapor barriers
- Crawlspace encapsulation liners
- ► Erosion control
- Shipping and packaging
- ► Temporary liner or cover
- Asbestos abatement
- Remediation covers
- ► Greenhouse/light deprivation covers

- Fumigation covers
- Cargo wraps
- Temporary walls or partitions
- ► Lumber covers
- Ice rink liners
- Sets and production
- Equipment protection
- Aquaponic/hydroponic liners
- ► And much more









UV-RESISTANT PLASTIC SHEETING



Americover's UV resistant plastic sheeting is designed to withstand prolonged sun exposure, making it an ideal solution for outdoor projects like greenhouses, construction enclosures, temporary weather protection, and agricultural covers. Engineered with UV inhibitors to extend product life, our plastic sheeting offers durable, cost-effective protection against degradation, cracking, and brittleness caused by sunlight.



Durability Options for Every Project

Depending on the product selected, longevity can range from short-term applications lasting several months, to multi-seasonal coverage, or multi-year performance for extended outdoor use. Americover also offers custom-fabricated sizes to match your project's exact requirements, helping you minimize waste and streamline installation.

| COLOR FEATURE | THICKNESS | S STANDARD WIDTHS | | | | | |
|--|-----------|-------------------|-------|-----|--------|--------|--------|
| CLEAR UP TO 4-YEARS OR MORE | 10 MIL | 26.5′ | 33′ | 40′ | 46.25′ | 52.75′ | |
| CLEAR UP TO 1 YEAR | 10 MIL | 6′ | 20′ | | | | |
| | 6 MIL | 6′ | 24′ | | | | |
| BLACK/WHITE UP TO 1 YEAR OR MORE | 8 MIL | 6′ | 12′ | 24′ | | | |
| | 12 MIL | 6′ | 12′ | 24′ | | | |
| BLACK/WHITE BLACKOUT UP TO 1 YEAR OR MORE | 8 MIL | 13.5′ | 26.5′ | 33′ | 40′ | 46.25′ | 52.75′ |

Plastic sheeting rolls are available in a variety of custom widths with minumum order quantities.

All panels are manufactured in a quality controlled environment and are accordion folded and tightly rolled on a heavy-duty core for ease of handling and time-saving installation.







UNDER-SLAB VAPOR RETARDERS

Choosing BABA-compliant under-slab vapor retarders ensures your project meets federal funding requirements while supporting American manufacturing. With verified domestic sourcing and production, you gain added confidence in product quality, supply chain reliability, and long-term performance—critical for infrastructure builds where compliance and durability matter most.












| | Pro Crawl Barrier® Pro Crawl Barrier Anti-mold® | Vapor Barrier Blue | Vapor Barrier Yellow | | VaporBlock® | | VaporBlock® Plus | |
|---|---|-----------------------|-------------------------|--------|--------------|--------|---------------------|--|
| ASTM G21 | × | × | × | | X | | × | |
| ASTM E1745 | ✓ | ✓ | ✓ | | ✓ | | ✓ | |
| ASTM D1434 | × | ✓ | x | | ✓ | | ✓ | |
| ASTM E96 | x | × | x | | ✓ | | ✓ | |
| ASTM F1249 | ✓ | ✓ | ✓ | | × | | × | |
| Certified Radon Retarder | × | ~ | ✓ | | ~ | | ~ | |
| PRODUCT INFORM | ATION | | | | | | | |
| Mil Thickness | 10 Mil | 20 Mil | 10 Mil | 15 Mil | 10 Mil | 15 Mil | 20 Mil | |
| Perm Rating | .0228 | 0.055 | .0228 | 0.0158 | 0.0146 | 0.01 | 0.0064 | |
| Puncture Resistance (measured in grams) | 3210 g | 5600 g | 3210 g | 3930 g | 2600 g | 3210 g | 2600 g | |
| Roll Width (ft) | 10′ | 12′ | 14′ | 14′ | 15′ | 12′ | 10′ | |
| Roll Length (ft) | 100′ | 150′ | 210′ | 140′ | 200′ | 200′ | 150′ | |
| Shipping Method | Ground | Freight Only | Freight Only | | Freight Only | | Freight Only | |










HEAVY-DUTY GEOMEMBRANE LINERS

Americover's heavy-duty geomembrane liners are manufactured in the USA with domestically sourced materials, delivering the strength, chemical resistance, and durability needed to meet BABA compliance standards for federally funded projects. Available in 20–100 mil thicknesses, our popular HDPE (High-Density Polyethylene) and LLDPE (Linear Low-Density Polyethylene) liners can be factory seamed to your project's specifications. We also offer custom-fabricated Drop-In Tank Liners, shipped ready for fast and efficient installation.



Agriculture:

Durable liners designed for irrigation ponds, aquaculture systems, livestock watering, and containment of manure lagoons and agricultural waste.

Environmental Protection:

Liner solutions for landfill capping, leachate collection systems, and secondary containment for fuels, chemicals, and hazardous materials.

Industrial Applications:

Heavy-duty liners for wastewater treatment plants, industrial lagoons, brine ponds, and desalination system barriers.

Energy Sector:


Containment liners for frac ponds, drilling reserve pits, and renewable energy projects, including biofuel production and solar facility operations.


Recreational Use:

Liners for decorative water features like fountains and koi ponds, as well as water hazards on golf courses and recreational lagoons.

Construction and Infrastructure:

Reliable liners for stormwater retention systems, underground storage tank barriers, and environmental remediation sites.












C&A POLY SHEETING



With rising import costs, supply chain uncertainty, and stricter compliance standards in 2025, relying on imported C&A poly sheeting poses growing risks. Americover offers clear, white, and black poly sheeting in a variety of sizes—manufactured with options that meet Build America, Buy America (BABA) requirements. Ideal for enclosures, moisture barriers, concrete curing, and agricultural use, our products are stocked in the U.S. and ready to ship. Contact us for current availability and minimum order details.

SPECIALTY TAPES







| BLUE FIRE RETARDANT 377 FRPE TAPE | WHITE FIRE RETARDANT 225FR TAPE | BLACK FIRE RETARDANT 268FR TAPE |
|--|---|---|
| Blue 377 FRPE polyethylene fire retardant tape has a high tack for a quick stick. It repositionable and removable from many surfaces. | White 225FR waterproof polyethylene-coated fire retardant tape with an exceptionally aggressive adhesive used when fire retardant tape is required. | 268FR flame retardant sealing duct tape has an acrylic coated cloth and a natural rubber adhesive that self-extinguishes. |
| Roll Size: 4" x 180' | Roll Widths: 2" 3" Length: 180' | Roll Size: 2" x 100' |







| BLACK VAPOR TAPE | WHITE VAPOR TAPE | THIN RED VAPOR TAPE |
|---|---|--|
| R25B Tape is a single-sided aggressive synthetic elastomeric adhesive that bonds instantly to properly prepared polyethylene and polypropylene. It is specially formulated to provide years of performance even in direct sunlight. | Vapor Tape has a heavy-duty weather-resistant polyethylene backing with an aggressive, pressure-sensitive adhesive. | Tape is composed of a 7.5 mil thick strong self-adhering rubber based adhesive that has a high tack for a secure bond. |
| Roll Size: 4" x 100' | Roll Size: 4" x 180' | Roll Size: 4" x 180' |

