

FLOOR PROTECTION PRODUCTS

FOR ANY TYPE OF FLOORING



TILE · GRANITE · LINOLEUM · VINYL · HARDWOOD · LAMINATE · CARPET AND MORE

Using floor protection during construction or remodeling products can prevent costly damages. Floor protection can also be used during special events, small repairs, and anywhere there will be heavy foot traffic. You can save money and time with the right products.

SELF ADHESIVE CARPET PROTECTION



CARPET COVER AVAILABLE IN FIRE RETARDANT

Appearance: Clear Thickness: 3 mil

Application time: Up to 45 days at a time.



BEARACADE® CARPET COVER

Appearance: Clear - logo printed

Thickness: 6 mil

Application time: Up to 30 days at a time

Americover's self adhesive temporary protection films are made in the USA with a water based adhesive for easy removal without adhesive transfer. Protection stays where you put it when using self-adhesive covers.

When you need long term protection; covers such padded multi-surface cover, deck cover, and string reinforced are designed to protect surfaces for 60 days or longer. These covers can be applied to a variety of surfaces including the floor and stairs.

Multi-surface covers can be applied to any solid surface including granite, laminate, Corian®, marble, tile, stone, linoleum and factory finished hardwood.

For heavy duty protection our BearAcade®, Padded Multi-Surface Cover, Deck Cover and String Reinforced Sheeting offer extreme durability against rips, tears, and puntures.

MULTI-SURFACE PROTECTION PRODUCTS



MULTI-SURFACE COVER

Appearance: Blue Thickness: 3 mil

Application time: Up to 45 days at a time



HARD SURFACE COVER FR

Appearance: Fire Retardant Blue

Thickness: 14 & 30 mil

Application time: Unlimited



STRING REINFORCED POLY SHEETING

Appearance: Clear, White/Black, White, Black, Fire Retardant

Thickness: 6-12 mil

Application time: Unlimited



BEARACADE® MULTI-SURFACE COVER

Appearance: Clear - Logo Printed

Thickness: 6 mil

Application time: Up to 30 days at a time



STICKY MATS

Appearance: Blue Thickness: n/a

Application time: n/a